


Map 2 Soils for Boreas Ponds Tract



- Unit - Name**
- AdB - Adams loamy sand, 3 to 8 percent slopes
 - AkB - Adirondack fine sandy loam, 3 to 8 percent slopes, very bouldery
 - BeD - Becket fine sandy loam, 15 to 35 percent slopes, very bouldery
 - BeC - Becket fine sandy loam, 8 to 15 percent slopes, very bouldery
 - BkD - Becket-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery
 - BkC - Becket-Tunbridge complex, 8 to 15 percent slopes, rocky, very bouldery
 - MnD - Monadnock-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery
 - MkC - Monadnock fine sandy loam, 8 to 15 percent slopes, very bouldery
 - MkD - Monadnock fine sandy loam, 15 to 35 percent slopes, very bouldery
 - TuD - Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky, very bouldery
 - SrB - Skerry loam, 3 to 8 percent slopes, very bouldery
 - SrC - Skerry loam, 8 to 15 percent slopes, very bouldery
 - MuC - Mundalite fine sandy loam, 8 to 15 percent slopes, very bouldery
 - MuD - Mundalite fine sandy loam, 15 to 35 percent slopes, very bouldery
 - 995D - Ricker-Couchsachraga-Skylight complex, 15 to 35 percent slopes, very rocky, very bouldery
 - 995F - Ricker-Couchsachraga-Skylight complex, 35 to 80 percent slopes, very rocky, very bouldery
 - 705B - Adirondack-Tahawus complex, 0 to 8 percent slopes, very bouldery
 - 657C - Monadnock-Tahawus complex, 3 to 15 percent slopes, very bouldery
 - 657D - Monadnock-Tahawus complex, 15 to 35 percent slopes, very bouldery
 - 649C - Monadnock-Tunbridge-Tahawus complex, 0 to 15 percent slopes, rocky, very bouldery
 - MwC - Mundalite-Rawsonville complex, 3 to 15 percent slopes, rocky, very bouldery
 - MwD - Mundalite-Rawsonville complex, 15 to 35 percent slopes, rocky, very bouldery
 - RaC - Rawsonville-Hogback complex, 8 to 15 percent slopes, very rocky, very bouldery
 - RaD - Rawsonville-Hogback complex, 15 to 35 percent slopes, very rocky, very bouldery
 - 375D - Colton-Adams complex, 15 to 35 percent slopes
 - 721C - Becket-Tunbridge-Skerry complex, 3 to 15 percent slopes, rocky, very bouldery
 - 721D - Becket-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery
 - 721F - Becket-Tunbridge complex, 35 to 60 percent slopes, rocky, very bouldery
 - 831D - Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky, very bouldery
 - 723C - Becket fine sandy loam, 3 to 15 percent slopes, very bouldery
 - 723D - Becket fine sandy loam, 15 to 35 percent slopes, very bouldery
 - 723F - Becket fine sandy loam, 35 to 60 percent slopes, very bouldery
 - 725B - Skerry-Becket complex, 3 to 15 percent slopes, very bouldery
 - 727B - Skerry-Adirondack complex, 0 to 8 percent slopes, very bouldery
 - 653C - Monadnock fine sandy loam, 3 to 15 percent slopes, very bouldery
 - 653D - Monadnock fine sandy loam, 15 to 35 percent slopes, very bouldery
 - 655B - Sunapee-Monadnock complex, 3 to 15 percent slopes, very bouldery
 - 651D - Monadnock-Tunbridge complex, 15 to 35 percent slopes, rocky, very bouldery
 - 650D - Monadnock-Adams-Colton complex, 15 to 35 percent slopes, bouldery
 - 931D - Mundalite-Rawsonville complex, 15 to 35 percent slopes, rocky, very bouldery
 - 931F - Mundalite-Rawsonville complex, 35 to 60 percent slopes, rocky, very bouldery
 - 941D - Rawsonville-Hogback complex, 15 to 35 percent slopes, very rocky, very bouldery
 - 941F - Rawsonville-Hogback complex, 35 to 60 percent slopes, very rocky, very bouldery
 - 993F - Santanoni-Skylight complex, 35 to 80 percent slopes, very rocky, very bouldery
 - BeF - Becket fine sandy loam, 35 to 60 percent slopes, very bouldery
 - HrF - Hogback-Knob Lock complex, 35 to 60 percent slopes, very rocky, very bouldery
 - MnF - Monadnock-Tunbridge complex, 35 to 60 percent slopes, rocky, very bouldery
 - RaF - Rawsonville-Hogback complex, 35 to 60 percent slopes, very rocky, very bouldery
 - TuF - Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky, very bouldery
 - 29C - Burnt Vly-Colton-Rumney complex, 0 to 15 percent slopes
 - 930C - Mundalite-Rawsonville-Amperсанд complex, 3 to 15 percent slopes, rocky, very bouldery
 - 932C - Mundalite-Amperсанд complex, 0 to 15 percent slopes, very bouldery
 - 932D - Mundalite-Amperсанд complex, 15 to 35 percent slopes, very bouldery
 - 934C - Amperсанд-Wilmington complex, 0 to 15 percent slopes, very bouldery
 - 944F - Hogback-Knob Lock complex, 35 to 60 percent slopes, very rocky, very bouldery
 - 948F - Rock outcrop-Knob Lock-Hogback complex, 35 to 60 percent slopes, very bouldery
 - 992D - Wallace-Skylight complex, 15 to 35 percent slopes, very rocky, very bouldery
 - 10A - Pleasant Lake-Burnt Vly complex, 0 to 2 percent slopes
 - 13A - Burnt Vly-Rumney-Pleasant Lake complex, 0 to 2 percent slopes
 - RyA - Rumney-Burnt Vly complex, 0 to 3 percent slopes
 - TaA - Tahawus peat, 0 to 5 percent slopes, very bouldery
 - W - Water

