


THIS IS A TWO-SIDED DOCUMENT

 NEW YORK STATE Adirondack Park Agency PO Box 99 · 1133 NYS Route 86 Ray Brook, NY 12977 Tel: (518) 891-4050 www.apa.ny.gov	APA General Permit/Order 2024G-1	Permit #: 2025-0027
	Certificate for Certain Minor Regulated Activities in APA Jurisdictional Freshwater Wetlands	

This certificate under General Permit 2024G-1 is granted to The Nature Conservancy, authorizing a minor regulated activity in a freshwater wetland pursuant to the Freshwater Wetlands Act (Environmental Conservation Law, Article 24) and the Adirondack Park Agency Act (Executive Law, Article 27, including Section 809(13)(e)), in an area classified Resource Management and Rural Use by the Official Adirondack Park Land Use and Development Plan as described in the application received by the Agency on February 5, 2024 and as depicted on the attached reduced-scale Project Plans. The project site is in the Town of Lewis, Essex County.

The project shall not be undertaken or continued unless the project authorized herein, including site restoration, is completed within four years of the date of issuance of this certification.

This certificate does not convey any right to trespass upon the lands or interfere with the riparian rights of others in order to undertake the authorized project, nor does it authorize the impairment of any easement, right, title, or interest in real or personal property.

Nothing contained in this certificate shall be construed to satisfy any legal obligations of the permittee to comply with all applicable laws and regulations or to obtain any governmental approval or permit from any entity other than the Agency, whether federal, state, regional, or local.

Failure to comply with this general permit and approved attached Project Plans is a violation and may subject the project sponsor, successors and assigns to civil penalties and other legal proceedings, including modification, suspension or revocation of the permit.

PROJECT SITE

The project site includes a portion of the Hale Hill Road Right-of-Way located in the Town of Lewis, Essex County, in an area classified Resource Management and Rural Use on the Adirondack Park Land Use and Development Plan Map. The project site also includes small portions of two additional parcels:

- A 46.80±-acre parcel of land located on Hale Hill Road in the Town of Lewis, Essex County, in an area classified Resource Management and Rural Use on the Adirondack Park Land Use and Development Plan Map. The site is identified as Tax Map Section 28.1, Block 1, Parcel 10.100.
- A 3.29±-acre parcel of land located on Hale Hill Road in the Town of Lewis, Essex County, in an area classified Rural Use on the Adirondack Park Land Use and Development Plan Map. The site is identified as Tax Map Section 38.1, Block 1, Parcel 8.

Additional wetlands not described herein or depicted on the Project Plans may be located on or adjacent to the project site.

PROJECT DESCRIPTION AS PROPOSED

The project as conditionally approved herein involves the replacement of two 4-foot diameter corrugated culverts with an arched culvert that is 15 feet 10 inches wide at the base.

The project is shown on six sheets of plans titled "Church Brook Culvert Replacement Hale Hill Road, Lewis, NY 12950," prepared by North Woods Engineering, PLLC, and received February 5, 2025 (Project Plans). A reduced-scale copy of Sheet C10 ("Site Plan") of the Project Plans for the project is attached to this certificate for easy reference. The original, full-scale maps and plans described in this paragraph are the official plans for the project, with copies available upon request from Adirondack Park Agency headquarters in Ray Brook, New York.

CONDITIONS

1. This permit is binding on the permittee(s) and all contractors undertaking all or a portion of the project authorized herein. Copies of this certificate and Project Plans shall be furnished by the permittee to all contractors prior to undertaking the activities authorized herein.
2. This certificate authorizes minor regulated activities in a freshwater wetland as depicted and described in the Project Plans. Any change to the location, dimensions, materials, or other aspect of the activities authorized herein shall require prior written Agency authorization.
3. Prior to construction, including clearing and grubbing, temporary erosion and sediment control measures shall be installed and maintained as depicted and described in the Project Plans. All silt fence shall be properly installed with the bottom buried at a depth of at least 4 inches. Once the site has been stabilized, silt fence and any other temporary erosion and sediment controls shall be completely removed.
4. All site restoration activities depicted and described in the Project Plans shall be implemented within three days of project completion, and in accordance with the approved implementation schedule.
5. The permittee shall notify the Agency in writing within five business days after the work authorized by this Certificate including any required restoration of temporary wetland impacts has been successfully completed. Written notification shall include color photographs which clearly show the completed work and site restoration and identify the date and location that the photographs were taken.
6. The authorized work shall be scheduled and conducted during drier periods (not during major storm events, spring runoff, and thawing conditions) to avoid and minimize erosion of soils and to prevent silting and muddying of wetlands or surface waterbodies.

7. No mechanized equipment shall be driven in wetlands unless expressly authorized herein. Every effort shall be made to work from upland areas and to minimize disturbances to areas adjacent to wetlands. Only tracked equipment shall be used in wetlands. Vehicular access in wetlands shall be under frozen conditions when possible. If work cannot be performed under frozen conditions, timber mats shall be used for access in wetlands, to be removed within three days of project completion and areas beneath timber mats restored to pre-construction condition. No temporary access structures shall be located within a wetland for more than 30 days.
8. Wetland disturbance including grading and grubbing of stumps and roots shall be limited to the area depicted and described on the Project Plans.
9. No waste disposal, material or excavation stockpiling, or dewatering discharge shall occur in or within 100 feet of wetlands unless specifically authorized in the Project Plans. Clean water bypass shall be discharged back to freshwater wetlands in a manner that limits or prevents erosion, sedimentation, and particle suspension.
10. When brought from off-site, all equipment, including but not limited to trucks, excavators, tractors, etc., and hand excavation tools such as shovels, rakes, and picks, to be used on the project site shall be clean and free of soil, mud, or other similar material. If washed on the project site, equipment shall be washed in one location to prevent the distribution of propagules among different wash sites. All construction equipment and vehicles operating in areas that may contain existing invasive species shall be thoroughly cleaned prior to moving to other areas.
11. Any cutting of vegetation along the shorelines of navigable waterbodies shall be in conformance with the Shoreline Restrictions of Section 806 of the Adirondack Park Agency Act. A copy of the Shoreline Restrictions or the Citizen's Guide is available upon request.
12. All tree cutting and/or vegetation removal shall be limited to the area depicted and described on the Project Plans. All cut vegetation shall be immediately removed from the wetland and adjacent area upon completion of the activity.
13. Existing pipe and box culverts shall be replaced at their existing location unless structure relocation or realignment is specifically authorized herein. Replacement culverts and any associated scour protection must be installed so that they do not constitute a barrier to upstream movement of fish and other aquatic species.
14. Native soil material or wetland substrate shall be placed for culvert embedding and spread evenly throughout the bottom of the new culvert where appropriate.
15. New or replacement culverts shall be installed so as to preserve the pre-construction water levels unless specifically authorized herein and shall not inhibit the natural movement of fish or other aquatic species.
16. Any fills required for temporary construction access, detour and work pad facilities shall be of clean, heavy stone fill or other non-erodible material placed on geo-textile fabric up to the mean high water elevation.

17. Temporary construction access, detour and work pad facilities (including necessary fills) shall be located so as to avoid or minimize disturbance of the wetland, and appropriate temporary drainage measures must be taken to maintain pre-construction water flows and water table characteristics.
18. Water control structures shall be of the type and size, and shall be placed in such a manner, so as to not impair surface water flow into or out of the wetland.
19. Water control structures shall be constructed of non-erodible materials, and located in such a manner so as to prevent its dispersion or movement by normal or high water flows.
20. Temporary construction access, detour, and work pad facilities (including necessary fills) shall be entirely removed following completion of construction activities, and the affected and adjacent area successfully restored to its pre-construction condition, including replacement planting of native trees and shrubs.

CERTIFICATE issued this 19th day
of February, 2025.

ADIRONDACK PARK AGENCY

BY: Ariel Lynch
Ariel Lynch
Environmental Program Specialist 3 (EPS3)

STATE OF NEW YORK
COUNTY OF ESSEX


On the 19th day of February in the year 2025, before me, the undersigned, a Notary Public in and for said State, personally appeared Ariel Lynch, personally known to me or proved to me on the basis of satisfactory evidence to be the individual whose name is subscribed to the within instrument and acknowledged to me that they executed the same in their capacity, and that by their signature on the instrument, the individual, or the person upon behalf of which the individual acted, executed the instrument.

Stephanie L. Petith
Notary Public, State of New York
Reg. No. 01PE6279890
Qualified in Franklin County
Commission Expires April 15, 2025

Stephanie L. Petith
Notary Public

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Adirondack Park Agency
RECEIVED
 Date: February 5, 2025

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Adirondack Park Agency
FINAL
 P2025-0027



- TEMPORARY DAM/DEWATERING NOTES**
1. PLACE TEMPORARY DAM AS CLOSE TO WORK AS POSSIBLE WITHOUT INTERFERING WITH CONSTRUCTION OPERATIONS. THE APPROXIMATE LOCATION SHOWN ON SITE PLAN.
 2. TEMPORARY DAM SHALL BE INSTALLED WITH A MINIMUM OF 1' OF FREEDOM.
 3. INITIAL TEMPORARY DAM SHALL BE CONSTRUCTED WITH A MINIMUM OF 1' OF FREEDOM AT THE DAM TO ALLOW FOR PROGRESSIVE WORK IN THE DAM. EXISTING CULVERT MAY BE USED AS TEMPORARY DAM.
 4. FOR DEWATERING, INSURE WORK ZONE, IF REQUIRED, FROM WATER THROUGH A SLOPE OF 2:1 OR FLATTER. GROUND PUMP RATE DOES NOT EXCEED MANUFACTURER'S RATING.
 5. CATCH BASINS, DEWATERING PUMPS, AND/OR OTHER EQUIPMENT AND SCOURING. SEE SITE PLAN FOR APPROVED DEWATERING DISCHARGE AREA.
 6. ALL PUMP AND PUMP MATERIALS SHALL BE STORED IN A SECURE AREA.
 7. REMOVE DEWATERING SEDIMENT BAG, RESTORE AREAS.
- MATERIAL DISPOSAL NOTES**
1. ALL MATERIAL SHALL ONLY BE DISPOSED OF IN AN APPROVED AREA AND PROPERLY COVERED TO PREVENT RECOVERY OF ANY SOIL MATERIAL INTO WETLAND OR OTHER SENSITIVE AREAS.

- GENERAL NOTES**
1. SITE PLAN BASED ON COUNTY MAP BY A.L.L. LAND SURVEYING, DATED 21 MARCH 2022 AND 1:5000 SCALE. SEE COMMENTS BY J. GRANT OF NORTH WOODS SURVEYING, P.L.C. ON 13 APRIL 2023.
 2. REFER TO SITE PLAN FOR LOCATIONS AND LOCAL ELEVATIONS OF PROJECT BENCHMARKS.
 3. CONTACT DIO HAYES AND YORK WITH TWO FULL WORKING DAYS PRIOR TO ANY EXCAVATION, NOT COUNTING THE DAY OF CALL IN.
 4. EXCAVATION SHALL BE PERMITTED PRIOR TO OBTAINING ALL NECESSARY PERMITS AND FOLLOW ALL PERMITS TO EXCAVATE. THIS INCLUDES OBTAINING NECESSARY PERMITS TO EXCAVATE AND NECESSARY PERMITS TO EXCAVATE. THIS INCLUDES OBTAINING NECESSARY PERMITS TO EXCAVATE AND NECESSARY PERMITS TO EXCAVATE.
 5. CONTACT NORTH WOODS SURVEYING, P.L.C. AT (518) 891-4975, WITH 2 DAYS PRIOR TO DISPOSE OF MATERIALS IN ANY REGULATIONS.
 6. REMOVE AND RESTORE ALL DISTURBED AREAS TO EXISTING CONDITIONS AT COMPLETION OF CONSTRUCTION OPERATIONS.
 7. THE DESIGN, INSTALLATION, AND MAINTENANCE OF ALL PUMPS AND DEWATERING CONTROL SYSTEMS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. CONTACT DIO HAYES AND YORK WITH TWO FULL WORKING DAYS PRIOR TO ANY EXCAVATION, NOT COUNTING THE DAY OF CALL IN.



- WETLAND PROTECTION NOTES**
1. ALL WORK SHALL BE LIMITED TO THE GREAT PORTER, NY WETLANDS. ALL DISTURBED WETLAND AREAS SHALL BE RESTORED TO ORIGINAL CONDITIONS AND NECESSARY PERMITS TO EXCAVATE SHALL BE OBTAINED PRIOR TO ANY EXCAVATION.
 2. ALL WORK SHALL BE LIMITED TO THE GREAT PORTER, NY WETLANDS. ALL DISTURBED WETLAND AREAS SHALL BE RESTORED TO ORIGINAL CONDITIONS AND NECESSARY PERMITS TO EXCAVATE SHALL BE OBTAINED PRIOR TO ANY EXCAVATION.

- TIE NOTES**
1. DISTANCES BELOW ARE FROM 66' HALL SET IN SOUTH SIDE OF POLE W/REG 6-12
 LOCATION: 150.51
 TO CORNER OF ARCH: 15.27
 TO CORNER OF ARCH: 15.27
 TO CORNER OF ARCH: 15.27
 2. DISTANCES BELOW ARE FROM POLE W/REG 6-11 W/ 10'-5" ELEVATION 489.58
 TO CORNER OF ARCH: 117.71
 TO CORNER OF ARCH: 117.71
 TO CORNER OF ARCH: 117.71

- WORK ITEMS**
1. TEMPORARY DAM SHALL BE INSTALLED PRIOR TO THE START OF WORK. PROVIDE FOR CONTINUED WATER FLOW IN STREAM. SEE TEMPORARY DAM NOTES.
 2. LIMITED TO 10' FROM COUNTY ROADWAY AND 5' FROM PROPERTY LINE, BUT NOT LESS THAN 5' FROM PROPERTY LINE. ALL DISTURBED AREAS SHALL BE RESTORED TO ORIGINAL CONDITIONS AND NECESSARY PERMITS TO EXCAVATE SHALL BE OBTAINED PRIOR TO ANY EXCAVATION.
 3. CONTRACTOR SHALL INSTALL AND MAINTAIN TEMPORARY SHIELDING TO PROTECT WORK AREAS AS REQUIRED.
 4. INITIAL EROSION AND SEDIMENT CONTROL MEASURES PRIOR TO CONSTRUCTION.
 5. ALL DISTURBED AREAS SHALL BE RESTORED TO ORIGINAL CONDITIONS AND NECESSARY PERMITS TO EXCAVATE SHALL BE OBTAINED PRIOR TO ANY EXCAVATION.
 6. REMOVE EXISTING CULVERT AND PROPERLY DISPOSE OF.
 7. RECONSTRUCT STREAM UNDER THE INSTRUCTION OF THE NATURE CONSERVANCY AND ADIRONDACK RIVER ASSOCIATION.
 8. RECONSTRUCT TEMPORARY DAM SETUP. REMOVE TEMPORARY DAM AND RESTORE TO ORIGINAL CONDITIONS AND NECESSARY PERMITS TO EXCAVATE SHALL BE OBTAINED PRIOR TO ANY EXCAVATION.
 9. INSTALL AND MAINTAIN TEMPORARY DAM. ALL CONTRACTOR SHALL BE TO FOLLOW ALL PERMITS TO EXCAVATE AND NECESSARY PERMITS TO EXCAVATE.
 10. REMOVE EXISTING CULVERT AND PROPERLY DISPOSE OF.
 11. RECONSTRUCT STREAM UNDER THE INSTRUCTION OF THE NATURE CONSERVANCY AND ADIRONDACK RIVER ASSOCIATION.
 12. REMOVE TRAFFIC CONTROL AT COMPLETION OF WORK EFFORTS.

