
DANC underground begins at P281/334.
All underground conduit will be 2" HDPE SDR11 conduit.
All DANC handholes will be graded in to match the slope of the terrain.
Additional handhole sets may be required based on final success of fiber pulling operations. Additional handhole sets will be documents on as-built drawings prior to submission.
The standard depth of the DANC conduit will be a minimum of 36", though the true depth will vary to accommodate obstructions beneath the ground.
The standard offset from the road will be a minimum 48" from edge of pavement, adhering to the field side of ditch swales when present.
All transverse road crossings will be completed via directional bore.
All longitudinal conduit placement will be completed with a combination of vibratory plow and directional boring.
All ingress and egress pits are to be determined by the machine operator while on site.
A copy of the as-builted construction drawings will be provided to the DOT & DEC following completion of the work alongside a set of digital shapefiles upon request.



Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community, Esri Community Maps Contributors, © OpenStreetMap, Microsoft, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, USFWS

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,339

NEW YORK STATE OF OPPORTUNITY. Adirondack Park Agency
RECEIVED
Date: September 21, 2026



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,368



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,368



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,365



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

5

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,359



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,323



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,363



Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,248



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,028



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>

GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>

Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,069



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,148



/HJHQG

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>

SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Angle - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

12

17,$ 6HJPHQW

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,200



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,217



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- ONT NID
- NIU NIU
- XC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,249



Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country


NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,257



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,326



Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,143



Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,297



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,332



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,266



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,305



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,326



Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,351



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- ONT NID
- NIU NIU
- XC Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,108



Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,024



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:996



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser


NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,057



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,145



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,216



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

30

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,219

Any wetland/culvert crossings will require a directional bore



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,224



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,302



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,352



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,356



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,347



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,176



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,101



Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- CC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,113



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,116



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>

GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>

Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,329



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5


State Rte 30,

Indian Lake, NY 12812

N. Thomas

1:1,368

DANC conduit path is routed around the "Pig Rock" land mark as to not cause any disturbance to the area, at the request of the DOT



Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,198



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- ONT NID
- NIU NIU
- XC Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- ? Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- ? <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,197



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:983



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:970



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PNL Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- CCT Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:987



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- P.P Patch Panel
- OLT OLT
- N.I NID
- N.I NIU
- C.C Cross Connect
- S.P.1 Splitter 1x2
- S.P.1 Splitter 1x6
- S.P.1 Splitter 1x4
- S.P.1 Splitter 1x8
- S.P.1 Splitter 1x16
- S.P.1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground

Structure
Subtype Code
- Push Brace
- Sidewalk Guy
- <all other values>
- P Pedestal
- H Handhole
- M Manhole

- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy

- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,261



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,287



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,138



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,108



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser


NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,181



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser


NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,343



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>

GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>

Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,367



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- ONT NID
- NIU NIU
- XC Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,362



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,356



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,349



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- P.P Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- X.C Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,197



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,189



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,234



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDH Wavelength Equipment
- P-P Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- X-C Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,220



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDW Wavelength Equipment
- P_P Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,159



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,084



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDH Wavelength Equipment
- P-P Patch Panel
- OLT OLT
- N-I NID
- N-I NIU
- C-C Cross Connect
- S-P-1 Splitter 1x2
- S-P-1 Splitter 1x6
- S-P-1 Splitter 1x4
- S-P-1 Splitter 1x8
- S-P-1 Splitter 1x16
- S-P-1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,012



Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

Development Authority of the North Country

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:981



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,173



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,367



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,344



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,296



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDN Wavelength Equipment
- P.P Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- X.C Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,346



Development Authority of the North Country

Legend

Equipment
Subtype Code
- Wavelength Equipment
- Patch Panel
- OLT
- NID
- NIU
- Cross Connect
- Splitter 1x2
- Splitter 1x6
- Splitter 1x4
- Splitter 1x8
- Splitter 1x16
- Splitter 1x32
- Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- Pedestal
- Handhole
- Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,344



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PNL Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XCO Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,355



Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- CC Cross Connect
- SPL Splitter 1x2
- SPL Splitter 1x6
- SPL Splitter 1x4
- SPL Splitter 1x8
- SPL Splitter 1x16
- SPL Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- Vault
- Cabinet
- Mile Marker
- Splice Closure
- Pull Box
- Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,366



Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community, Esri Community Maps Contributors, © OpenStreetMap, Microsoft, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, US Census Bureau, USDA, USFWS

Development Authority of the North Country

Legend

Equipment
Subtype Code
- WDM Wavelength Equipment
- PP Patch Panel
- OLT OLT
- NID NID
- NIU NIU
- XC Cross Connect
- SP1 Splitter 1x2
- SP1 Splitter 1x6
- SP1 Splitter 1x4
- SP1 Splitter 1x8
- SP1 Splitter 1x16
- SP1 Splitter 1x32
- UNK Unknown
- <all other values>
- SpliceClosure
- Slack Loop

Anchors and Guys
Anchor Type
- Single - Ground
- Push Brace
- Sidewalk Guy
- <all other values>

Structure
Subtype Code
- P Pedestal
- H Handhole
- M Manhole
- Unknown
- V Vault
- Cabinet
- Mile Marker
- Splice Closure
- P Pull Box
- C Community Hoffman
- <all other values>

Pole
Type
- Sole Power Distribution
- Sole Power Transmission
- D DANC
- Sole Tel
- Joint Distribution
- Joint Transmission
- <all other values>

FiberCable
CABLE CATEGORY
- Drop Fiber
- Other
- Access Fiber
- Distribution Fiber
- Backbone Fiber
- <all other values>

Installation Method
- ADSS
- Aerial Inner Duct
- Aerial Strand
- Bore
- Buried Pipe
- Casing
- Direct Bury
- Duct Bank
- OPGW
- Overhead Guy
- Trench
- <all other values>
- GRIDS

Building Outline
Subtype Code
- Unknown
- Customer Site
- Central Office
- <all other values>
- Field Notes Point
- Matchline

Building
Subtype Code
- Unknown
- Customer Site
- Data Center
- Head End
- <all other values>
- R Riser

NTIA Segment 5

State Rte 30

Indian Lake, NY 12812

N. Thomas

1:1,038